

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	3459	(flat near3 (display device panel)) and ((elastic resilient flexible) with (body element member means structure assembly)) and (air\$tight hermetic\$4 vacuum)	EPO; JPO; DERWENT	OR	ON	2005/05/01 13:15
L13	51	(flat near3 (display device panel)) and ((elastic resilient flexible) with (body element member means structure assembly)) and (air\$tight hermetic\$4 vacuum)	EPO; JPO; DERWENT	OR	ON	2005/05/01 13:19
L14	1249	((display device panel)) and ((elastic resilient flexible) with (body element member means structure assembly)) and (air\$tight hermetic\$4 vacuum) and (pressure suction)	EPO; JPO; DERWENT	OR	ON	2005/05/01 13:19
L15	5	(image near3 forming near3 (display apparatus device panel)) and ((elastic resilient flexible) with (body element member means structure assembly)) and (air\$tight hermetic\$4 vacuum) and (pressure suction)	EPO; JPO; DERWENT	OR	ON	2005/05/01 13:21
L16	48	(image near3 forming near3 (display apparatus device panel)) and ((concave circular curv\$3) with (elastic resilient flexible) with (body element member means structure assembly)) and (air\$tight hermetic\$4 vacuum) and (pressure suction)	US-PGPUB; USPAT	OR	ON	2005/05/01 13:23
S1	152	kamiguchi-\$.in.	US-PGPUB; USPAT	OR	ON	2005/04/26 18:20
S2	6	kamiguchi-\$.in. and ("313"/\$.ccls. "445"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/04/24 14:45
S3	9	("20030137235"   "20030141796"   "5747927"   "5770918"   "6104135"   "6114804"   "6407500"   "6528939"   "6603255").PN. OR ("6831402"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/24 14:46
S4	17	("2000570"   "5525861"   "5760538").PN. OR ("6114804"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/24 14:48
S5	5	("5965978"   "6084344"   "6114804").PN. OR ("6407500"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/24 14:49

S6	9	("4149105"   "4767965"   "5463276"   "5621272"   "5635795"   "5734224").PN. OR ("5965978").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/24 14:51
S7	9	("20030025443"   "20030137235"   "5463276"   "5965978"   "6114804"   "6407500"   "6476547"   "6528939"   "6603255").PN. OR ("6858980").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/24 15:01
S8	11	("4727284"   "5357165"   "5578903"   "5786660"   "5831387"   "6006003"   "6077142"   "6114804"   "6252349").PN. OR ("6603255").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/24 15:12
S9	4	((voltage near3 (appl\$4 applicat\$3) near3 (member structure element apparatus device)) same (electrode anode) and ((planar flat) near3 (container envelope panel display vessel)) and (vacuum air\$tight hermetic)	EPO; JPO; DERWENT	OR	ON	2005/04/24 15:15
S10	4	((voltage near3 (appl\$4 applicat\$3) near3 (member structure element apparatus device)) same (electrode anode)) and ((planar flat) near3 (container envelope panel display vessel)) and (vacuum air\$tight hermetic)	EPO; JPO; DERWENT	OR	ON	2005/04/24 15:15
S11	5163	((voltage near3 (appl\$4 applicat\$3) near3 (member structure element apparatus device)) same (electrode anode))	EPO; JPO; DERWENT	OR	ON	2005/04/24 15:15
S12	62	((voltage near3 (appl\$4 applicat\$3) near3 (member structure element apparatus device)) same (electrode anode)) and ((container envelope panel display vessel)) and (vacuum air\$tight hermetic)	EPO; JPO; DERWENT	OR	ON	2005/04/24 15:20
S13	856	((voltage near3 (appl\$4 applicat\$3) near3 (member structure element apparatus device)) same (electrode anode)) and ((flat planar) with (container envelope panel display vessel)) and (vacuum air\$tight hermetic) and pressure	US-PGPUB; USPAT	OR	ON	2005/04/24 15:21

S14	369	((voltage near3 (appl\$4 applicat\$3) near3 (member structure element apparatus device)) same (electrode anode)) and ((flat planar) with (container envelope panel display vessel)) and (vacuum air\$tight hermetic) and pressure and "313"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/24 15:22
S15	68	((voltage near3 (appl\$4 applicat\$3) near3 (member structure element apparatus device)) same (electrode anode)) and ((flat planar) with (container envelope panel display vessel)) and (vacuum air\$tight hermetic) and pressure and ((member structure element apparatus device) with (resilient flexible elastic elongat\$3)) and "313"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/24 15:24
S16	68	((voltage near3 (appl\$4 applicat\$3) near3 (member means structure element apparatus device)) same (electrode anode)) and ((flat planar) with (container envelope panel display vessel)) and (vacuum air\$tight hermetic) and pressure and ((member means structure element apparatus device) with (resilient flexible elastic elongat\$3)) and "313"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/24 15:24
S17	25	((voltage near3 (appl\$4 applicat\$3) near3 (member means structure element apparatus device)) same (electrode anode)) and ((flat planar) with (container envelope panel display vessel)) and (vacuum air\$tight hermetic) and pressure and ((member means structure element apparatus device) with (resilient flexible elastic elongat\$3)) and "445"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/24 15:25

S18	11	((voltage near3 (appl\$4 applicat\$3) near3 (member means structure element apparatus device)) same (electrode anode)) and ((flat planar) with (container envelope panel display vessel)) and (vacuum air\$tight hermetic) and pressure and ((member means structure element apparatus device) with (resilient flexible elastic elongat\$3)) and "315"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/24 15:25
S19	17	((voltage near3 (appl\$4 applicat\$3) near3 (member means structure element apparatus device)) same (electrode anode)) and ((flat planar) with (container envelope panel display vessel)) and (vacuum air\$tight hermetic) and pressure and ((member means structure element apparatus device) with (resilient flexible elastic elongat\$3)) and "345"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/24 18:03
S20	105	S16 S17 S18 S19	US-PGPUB; USPAT	OR	ON	2005/04/24 15:25
S21	197	((voltage with (appl\$4 applicat\$3) with (member means structure element apparatus device)) same (electrode anode)) and ((flat planar) with (container envelope panel display vessel)) and (vacuum air\$tight hermetic) and pressure and ((member means structure element apparatus device) with (resilient flexible elastic elongat\$3)) and ("345"/\$.ccls. "313"/\$.ccls. "445"/\$.ccls. "315"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/04/26 17:41
S22	0	S20 not S21	US-PGPUB; USPAT	OR	ON	2005/04/24 18:04
S23	92	S21 not S20	US-PGPUB; USPAT	OR	ON	2005/04/24 18:04
S24	4	"20030042855" "5742122".pn. "6333599".pn. "6246171".pn.	US-PGPUB; USPAT	OR	ON	2005/04/25 13:19
S26	18	("2000570"   "5525861"   "5760538").PN. OR ("6114804").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 17:28

S27	9	("20030137235"   "20030141796"   "5747927"   "5770918"   "6104135"   "6114804"   "6407500"   "6528939"   "6603255").PN. OR ("6831402").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 17:30
S28	7	("5734224"   "5912531"   "5936343"   "5986389"   "6114804"   "6494429"   "6528939").PN. OR ("6703779").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 17:32
S29	9	("20030025443"   "20030137235"   "5463276"   "5965978"   "6114804"   "6407500"   "6476547"   "6528939"   "6603255").PN. OR ("6858980").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 17:32
S30	9	("4149105"   "4767965"   "5463276"   "5621272"   "5635795"   "5734224").PN. OR ("5965978").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 17:34
S31	9	("20030025443"   "20030137235"   "5463276"   "5965978"   "6114804"   "6407500"   "6476547"   "6528939"   "6603255").PN. OR ("6858980").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 17:38
S32	0	((voltage with (appl\$4 applicat\$3) with (member means structure element apparatus device)) same (electrode anode)) and ((flat planar) with (container envelope panel display vessel)) and (vacuum air\$tight hermetic) and pressure and ((member means structure element apparatus device) with (resilient flexible elastic elongat\$3))	EPO; JPO; DERWENT	OR	ON	2005/04/26 17:41
S33	0	((voltage with (appl\$4 applicat\$3) with (member means structure element apparatus device)) same (electrode anode)) and ((container envelope panel display vessel)) and (vacuum air\$tight hermetic) and pressure and ((member means structure element apparatus device) with (resilient flexible elastic elongat\$3))	EPO; JPO; DERWENT	OR	ON	2005/04/26 17:41

S34	4	((voltage with (appl\$4 applicat\$3) with (member means structure element apparatus device)) same (electrode anode)) and ((container envelope panel display vessel)) and (vacuum air\$tight hermetic) and ((member means structure element apparatus device) with (resilient flexible elastic elongat\$3))	EPO; JPO; DERWENT	OR	ON	2005/04/26 17:46
S35	7	kamiguchi-k\$.in.	US-PGPUB; USPAT	OR	ON	2005/04/26 19:07
S36	42	(image near3 forming near3 (device display panel)) and ((elastic resilient flexible) with (body element member means structure assembly) with ((voltage electric\$3) near3 (connect\$3 applicat\$3 apply\$3 supply\$3)))	EPO; JPO; DERWENT	OR	ON	2005/04/26 19:12
S37	24	(image near3 forming near3 (apparatus)) and ((elastic resilient flexible) with (body element member means structure assembly) with ((voltage electric\$3) near3 (connect\$3 applicat\$3 apply\$3 supply\$3)))	EPO; JPO; DERWENT	OR	ON	2005/04/26 19:13
S38	1633	(flat nea3 (display device panel)) and ((elastic resilient flexible) with (body element member means structure assembly) with ((voltage electric\$3) near3 (connect\$3 applicat\$3 apply\$3 supply\$3)))	EPO; JPO; DERWENT	OR	ON	2005/04/26 19:14
S39	37	(flat nea3 (display device panel)) and ((elastic resilient flexible) with (body element member means structure assembly) with ((voltage electric\$3) near3 (connect\$3 applicat\$3 apply\$3 supply\$3))) and (air\$tight hermetic\$4 vacuum)	EPO; JPO; DERWENT	OR	ON	2005/05/01 13:15